

SUPERCHLORINATING YOUR POOL

IMPORTANT TIPS!

ALWAYS superchlorinate the pool in the evening to prevent evaporation from the sun.

This will get the most out of the product.

DO NOT SWIM for at least 12 hrs after superchlorinating your pool.

Make sure to test the water before entering the pool to ensure the chlorine is between 1.0 - 3.0ppm.

WHEN IS A GOOD TIME?

Chlorine pools should superchlorinate **WEEKLY** to ensure proper sanitation of the water and prevent bacteria and algae growth. Superchlorination is recommended after heavy bather loads and/or heavy rain.

Nature II Chlorine pools can superchlorinate **EVERY TWO WEEKS** or as needed. Superchlorination is recommended after heavy bather loads and/or heavy rain.

Salt Pools can use the 'Superchlorinate' button to boost chlorine levels, but may need to use an unstabilized chlorine as recommended by your Pioneer Family Pools waterlab technicians. Superchlorination is recommended after heavy bather loads and/or heavy rain.

HOW MUCH SHOULD I USE?

HTH Extra: Broadcast 65g per 10,000L. Test after 10 min, if below 1.0 ppm, repeat until 1.0ppm is obtained.

OR

Unstabilized Liquid Chlorine: Add 1L of Liquid chlorine per 10,000L of pool water until 1.0 ppm is obtained. Test after 10 min, if below 1.0 ppm, repeat until 1.0ppm is obtained.

SUPERCHLORINATING WITH A BROMINE POOL

Use a non-chlorine shock, such as Oxidizer each week. Superchlorinating a bromine swimming pool is recommended at pool opening, closing or in the presence of algae.

Oxidizer: Add 1Kg/75,000L every 2 weeks. For example, a 50,000L pool requires 650g per dose.

DID YOU KNOW?

You can use Oxidizer any time of day and you can swim 1 hour later. Oxidizer can be used intermittently on chlorine pools.